

# Nuvo®

**Designed by Audiophiles.**  
Installed by Professionals.



 **legrand®**

# A HISTORY OF EXCELLENCE.

1924

Nuvo begins as the Davitt & Hanser Music Company. Later renamed Hanser Holdings International (HHI), Nuvo has become one of the most trusted names in music manufacturing and distribution.



1989

HHI acquires the world-renowned music amplification and engineering company Kustom.

1991

Kustom introduces the first integrated whole home audio system under the name Kustom Home Sound.



2002

HHI launches Nuvo, the new brand name of Kustom Home Sound.

2012

Legrand, North America acquires Nuvo. Today, Nuvo continues to deliver unparalleled innovations in sound.



## DESIGNED BY AUDIOPHILES.

Nuvo, the award-winning product line of Legrand, specializes in advanced whole home audio systems and solutions that deliver a truly unparalleled listening experience. With a deep-seated passion for music and an audio lineage reaching back to 1924, Nuvo was born of the Kustom Home Sound brand, the same company that delivered stage amplification for professional musicians ranging from Johnny Cash to Quiet Riot. Today, Nuvo continues to deliver innovative, high-performing products for professional home audio installations.

# PLAYER PORTFOLIO.

Designed with the professional installer in mind, the flexible, powerful Player Portfolio system delivers incredible high-fidelity audio to every room of the home. Conveniently available in wired or wireless configurations, the single zone Players and multi-zone rack-mount Players make it easy to build a unified whole home audio experience in up to 16 different zones. Easy to install and even easier to enjoy, the Player Portfolio offers an unparalleled listening experience with endless music options at your fingertips.

## EXPLORE A WORLD OF MUSIC.


The Player Portfolio offers true listening freedom with built-in access to endless music options - from networked audio content and iTunes libraries, to an expansive variety of Internet radio and streaming services. Whether it's an old favorite or the newest hit, your home will be filled with the music that moves you.





# THE PLAYER ECOSYSTEM.

Simply connect a Nuvo Player to the home network and your favorite speakers. To start listening, use the free Player Portfolio app to quickly connect and set up the system. Easily expand home audio to other rooms by adding Players in other zones.



# COMPLETE CONTROL.

## Nuvo Player App

Nuvo makes it easy to get right to the music you love with the intuitive Player app. By automatically displaying your favorite music services and artists, it allows fast, simple browsing with a world of music available right at your fingertips. Play different songs in every room, or stay in perfect sync when broadcasting a single song throughout the home.



## NUVO PLAYER APP

Manage music library, power, and playlists, as well as Play, Pause, Volume, Mute, Skip Track, and more

Choose music from an unlimited variety of sources

Easy browsing by song, album, genre, and artist

Control music in every zone or group together to play one song throughout the home

Download app for free from iTunes and Google Play

## In-Wall Keypads and Touch Screen

Enjoy intuitive control where you need it most with the Nuvo Touchscreen and Keypads. With a fixed on-wall location, these devices add a whole new layer of convenience to the Player Portfolio system, providing instant access to music for anyone in the home. Installation is a breeze with a single PoE connection.



### P30 TOUCH SCREEN

Wall-mounted tablet runs the Nuvo Player app for complete management of all zones, sources, and audio functions

Sleek, high contrast 7" Android 1024 x 600 IPS capacitive touch screen

Connects easily with a single RJ45 802.11 af PoE cable

Universal mounting plate for quick installation

Available in both black and white



### P20 KEYPAD


Capacitive touch backlit display provides accessible in-wall control of a single zone

Control Play, Pause, Volume, and Track Navigation

A single button allows quick access to 5 preset favorites

Connects easily with a single RJ45 802.11 af PoE cable

Designed for Livinglight, Arteor and Valena Life wall plates available throughout Europe and adorne wall plates in North America.



### P10 KEYPAD

Convenient in-wall control of a single zone

Control Play, Pause, Volume, Mute, and Track Navigation

A single button allows quick access to 5 preset favorites

Connects easily with a single RJ45 802.11 af PoE cable

Available in white, light almond and nickel

# PROFESSIONAL FINISH. PROFESSIONAL POWER.

## Professional Multi-Zone Rack Mount Players

Deliver a powerful experience with Nuvo's high-performing, professionally-installed multi-zone players. These sleek rack mount A/V units occupy 1U of rack space, but cover three listening zones for a clean installation with maximum efficiency. Hard-wire multiple players with Ethernet for centralized integration.



### P3100 PROFESSIONAL SERIES PLAYER

3 zone, with 40-watts per zone at 8 ohms

High-performance amplifier operates coolly and saves energy while minimizing distortion

Rack mount ears included

#### P3100 Specifications

Power	20w per channel @ 8 ohms
Network	Wired
# of Zones	3
# of Channels	2 per zone
Input	3.5mm x 3, USB x 3
Preamp Output	3.5mm x 3



### P3500 PROFESSIONAL SERIES PLAYER

3 zone, with 100-watts per zone at 8 ohms

Extreme power efficiency for superior amplification, featuring Bang and Olufsen's intelligent ICEpower® audio technology

Connect additional components via RCA line in/out

Rack mount ears included

#### P3500 Specifications

Power	50w per channel @ 8 ohms 100w per channel @ 4 ohms
Network	Wired
# of Zones	3
# of Channels	2 per zone
Input	RCA x 3, USB x3
Preamp Output	RCA x 3





## P4300 PROFESSIONAL SERIES PLAYER

Highest quality rack mount player with DSP for enhanced performance

3 zone, with 110-watts per zone at 4, 6 or 8 ohms (ohm load is selectable within the app)

Backlit touch screen supports easy setup with visible system status, zone names, and more


Large side-mounted heat sinks and no fans for convenient single-space rack mounting

3.5mm combination analog/TOSLINK jacks for line inputs and outputs

Rack mount ears included

### P4300 Specifications

Power	55w per channel @ 4,6, or 8 ohms
Network	Wired
# of Zones	3
# of Channels	2 per zone
Input	Auto-sensing 3.5mm analog or optical x 3 (Toslink to 3.5mm adapters included), USB x 3
Preamp Output	Auto-sensing 3.5mm analog or optical x 3 (Toslink to 3.5mm adapters included)



P3100

P3500

P4300

# PEAK PERFORMANCE. PEAK PROFITABILITY.

## P5000 Professional Series Players

Deliver a powerful experience with Nuvo’s high-performing, Professional Series Players. Designed exclusively for integrators, the 5000 Series Professional Series Players are purpose-built for custom audio installations. Now compatible with Apple Airplay 2, these players offer built-in access to endless streaming music services.



### P5050 PROFESSIONAL SERIES PLAYER

3 zone, with 50-watts per zone at 8 ohms

Seamless integration into advanced automation systems

Side-mounted heat sinks with no fans support the space and energy efficient 1U rack design

#### P5050 Specifications

Power	25w per channel @ 8 ohms 50w per channel @ 4 ohms
Network	Wired
# of Zones	3
# of Channels	2 per zone
Input	3.5mm analog x 3, USB x 3
Preamplifier Output	3.5mm analog



### P5100 PROFESSIONAL SERIES PLAYER

3 zone, with 100-watts per zone at 8 ohms

Back-lit touch screen supports easy setup with visible system status, zone names, and more

Seamless integration into advanced automation systems

Side-mounted heat sinks with no fans support the space and energy efficient 1U rack design

#### P5100 Specifications

Power	50w per channel @ 8 ohms 100w per channel @ 4 ohms
Network	Wired
# of Zones	3
# of Channels	2 per zone
Input	Auto-sensing 3.5mm analog or optical x 3 (Tos-link to 3.5mm adapters included), USB x 3
Preamplifier Output	Auto-sensing 3.5mm analog or optical x 3 (Tos-link to 3.5mm adapters included)



## P5200 PROFESSIONAL SERIES PLAYER

3 zone, with 200-watts per zone at 8 ohms

Back-lit touch screen supports easy setup with visible system status, zone names, and more

Seamless integration into advanced automation systems

Side-mounted heat sinks with no fans support the space and energy efficient 2U rack design

### P5200 Specifications

Power	100w per channel @ 8 ohms 200w per channel @ 4 ohms
Network	Wired
# of Zones	3
# of Channels	2 per zone
Input	Auto-sensing 3.5mm analog or optical x 3 (Tos-link to 3.5mm adapters included), USB x 3
Preamp Output	Auto-sensing 3.5mm analog or optical x 3 (Tos-link to 3.5mm adapters included)



P5050



P5100



P5200

# FLEXIBLE SOLUTIONS.

## Wired/Wireless Single-Zone Players

Introduce incredible audio into hard-to-wire spaces with Nuvo wireless single-zone players. Ideal for easily adding zones to an existing Player Portfolio System, single-zone players support both wired Ethernet or Wireless 802.11a/b/g/n configuration options for optimal flexibility.



### P100 PLAYER AMPLIFIER

Give any room instant access to endless music options, or stay perfectly in sync when all zones are playing the same song

Provides a total 40 watts of power at 8 ohms to a single zone

#### P100 Specifications

Power	20w per channel @ 8 ohms
Network	Ethernet or Wireless 802.11a/b/g/n
# of Zones	1
# of Channels	2
Inputs	3.5mm, USB
Output	3.5mm

### P200 PLAYER AMPLIFIER

Instant access to endless music options, or stay perfectly in sync when all zones are playing the same song

Connect to any Bluetooth-enabled device to listen instantly

Provides a total 120 watts of power at 8 ohms to a single-zone



#### P200 Specifications

Power	60w per channel @ 8 ohms stable
Network	Ethernet or Wireless 802.11a/b/g/n
# of Zones	1
# of Channels	2
Inputs	3.5mm, Bluetooth, USB
Output	3.5mm






## P300 PLAYER PREAMPLIFIER

Designed for maximum versatility, connect to any external amplifier or receiver to create a fully functioning zone

Offers all the benefits of Player Portfolio including expansive source variety, convenient app control, and stunning hi-fi quality

### P300 Specifications


Power	Unpowered
Network	Ethernet or Wireless 802.11a/b/g/n
# of Zones	1
Inputs	Auto-sensing 3.5mm analog or optical (Toslink to 3.5mm adapters included), USB
Output	Auto-sensing 3.5mm analog or optical (Toslink to 3.5mm adapters included)



P100



P200



P300

# EXCEPTIONAL EXPERIENCES.

## Tabletop Speaker

Stream music to any room with this all-in-one stereo speaker and amplifier, or easily expand an existing Player Portfolio system with an additional zone of audio. With a powerful 2.1 system, the P400 fills any room with rich, full-bodied sound, and stays perfectly in sync with other zones playing the same song. Blending premium performance with installation flexibility, the tabletop speaker makes it easier than ever to listen to the music you love - whenever or wherever you might want to listen.



## P400 TABLETOP SPEAKER

All-in-one single-zone amplifier and stereo speaker easily expands the Player Portfolio system

Powerful 2.1 system with 5 1/4" subwoofer, two midrange drivers, and two tweeters

Conveniently controlled with the Nuvo Player app and optional in-wall keypads

Capacitive touch controls on the device provide Play, Pause, Volume, Mute, and Track Navigation

Wired or wireless connection allows for flexible installation

## P400 Specifications

Network	Ethernet or Wireless 802.11a/b/g/n
# of Zones	1
Input	3.5mm analog
Dimensions	368 W x 217 H x 149 D (mm) 14.5 W x 8.56 H x 5.88 D (in)

**Sound Bar and Subwoofer**

Merging the exceptional audio quality of Player Portfolio with dynamic home theater technology, the P500 delivers a cinematic experience that true audiophiles will love. With a powerful 2.1 system, complete with an 8" wireless subwoofer, the Sound Bar boosts listening experiences, playing movie, TV, or game audio in brilliant clarity. Better yet, the P500 is a single-zone Player Portfolio amplifier, granting access to networked music collections and endless streaming services. With convenient control options and simple setup, the Sound Bar delivers an immersive audio experience to complete any home theater.

P500 PLAYER SOUND BAR AND SUBWOOFER

All-in-one single-zone Player Portfolio amplifier and home theater Sound Bar

Powerful 2.1 system complete with 8" wireless subwoofer

Conveniently controlled with the included IR remote, Nuvo Player app, optional in-wall keypads, or the capacitive touch controls

Customized listening modes for music, movie, voice, and night

Mounting bracket included

P500 Specifications

Network	Ethernet or Wireless 802.11a/b/g/n
# of Zones	1
Inputs	RCA, Toslink, USB
Sound Bar Dimensions	877 W x 115 H x 108 D (mm) 34.5 W x 4.25 H x 4.5 D (in)
Subwoofer Dimensions	231 W x 261 H x 303 D (mm) 9.1 W x 10.25 H x 11.9 D (in)



# SIMPLIFIED STREAMING.

## DIN Rail Solutions

Nuvo's P600 Player is the world's first streaming music player designed for the international DIN rail mounting standard. It gives any room instant access to endless audio options with built in access to personal music collections, internet radio, or popular streaming services. Compatible with all other products in Nuvo's Player Portfolio, the P600 adds ease of installation and flexibility to expand the system.

## P600 DIN RAIL PLAYER

Designed for the international DIN rail mounting standard and compatible with all products in the Player Portfolio

Give any room instant access to endless music options or stay perfectly in sync when all zones are playing the same song

Provides a total of 40 watts of power at 4/6/8 ohms to a single zone

Conveniently controlled with the Nuvo Player app or optional in-wall keypads


### P600 Specifications

Power	20w per channel. 4,6, or 8 ohms stable
Network	Ethernet
# of Zones	1
# of Channels	2
Inputs	3.5mm, USB



### Inside the US

The P600 has been designed to optimally fit existing DIN rail enclosures. Players can be added easily alongside existing components providing a completely centralized location for the entire home's technology.



### Outside the US

Installed in an enclosure with the NV-PDINKIT, the P600's compact size allows for your entire home's music selection to be hidden away. Say goodbye to large A/V racks taking up space.



**Inside the US**

The Nuvo DIN Rail Installation Kit simplifies the installation of a Nuvo DIN Rail Player system and provides parts for up to a three-zone system.



**PDINKIT NUVO DIN RAIL KIT**

Provides installation parts for a three zone DIN Rail Player System

Compatible with the On-Q Plastic Enclosure family of products

Easy installation in a low voltage enclosure

**Multi-Zone Kits**

Everything you need to add 2, 3 or 4 zones in one sku. The P600 multi-zone kits include all the parts needed to install and power the players.

**NV-P6002Z-NA**



**NV-P6003Z-NA**



**NV-P6004Z-NA**



**Outside the US**

The P601 can power up to four zones with one sku. Designed to also fit the international DIN rail mounting standard, they provide the cleanest installation possible with minimal space usage.



**P601 DIN RAIL POWER SUPPLY**

Powers up to four P600 players

Designed for international DIN rail mounting for flexible and efficient installation

**P601 Specifications**

Power	24V / 18w per zone
# of Zones Powered	4

# DYNAMIC DELIVERY.

## Digital Power Amplifiers

Nuvo class-D digital power amplifiers provide standalone power with incredible performance. These rack mount units offer clean, crisp sound with low distortion and minimal signal loss. High-efficiency design achieves ENERGY STAR standard for utilizing less than one watt of power in standby mode. With easy third party integration and a clean 1U installation, providing music the way it should be heard couldn't be easier.

### D460 DIGITAL POWER AMPLIFIER

Powerful four channel stereo amplification

4 or 8 ohm selectable rating offers optional configurations

#### D460 Specifications

Power	4 x 60w (4 or 8 ohm)
# of Channels	4
Ohms	4 or 8 ohm
Input	RCA



### D2120 DIGITAL POWER AMPLIFIER

Powerful two channel stereo amplification

4 or 8 ohm selectable rating offers optional configurations

#### D2120 Specifications

Power	2 x 120w (4 or 8 ohm)
# of Channels	2
Ohms	4 or 8 ohm
Input	RCA


# INSTALLER-INSPIRED DESIGN.

## Professional Solutions

Dedicated to engineering innovative multi-room audio solutions, every product and system feature in the Nuvo Player Portfolio line is designed with meticulous detail to support the needs of professional integrators. From flexible wired or wireless configurations and simple set-up, to seamless third-party integration and effortless control, Player Portfolio is the all-in-one solution for dynamic whole home audio.

## Seamless Integration

With pre-written drivers, it's easy to integrate the exceptional audio of Nuvo into advanced control systems from Vantage, Control4, Elan, Crestron, KNX, and more. **View the full list of integration partners: [legrand.us/nuvo-integration](http://legrand.us/nuvo-integration)**



# NUVO.

## **Professional Rack-Mount Solutions**

Nuvo's professional rack-mount Players provide a cleaner installation with a more efficient use of space in the AV rack.

## **Flexible System Design**

The Player Portfolio offers a comprehensive line of scalable home audio products available in wired or wireless configurations. Flexible options including the home theater sound bar and tabletop speaker make it simple to specify the right solution for any project.

## **Remote Monitoring and Device Management**

Domotz PRO network management software simplifies installations and allows remote monitoring, tech support, and troubleshooting of Nuvo devices from anywhere – saving installers time, adding value, and improving efficiency.






## **A Spare-No-Expense Attitude on Audio Quality**








Offering a reproduction quality that is true to every artist and song, Player Portfolio supports true 24 bit/192 kHz high-resolution streaming audio – the way sound was meant to be heard.







	Single Zone Players			All-In-One Speaker/Player	
					
Model	P100	P200	P300	P400	P500
Size Dimension H x W x D	42 x 187 x 115 (mm)	42 x 229 x 127 (mm)	38 x 145.5 x 90.5 (mm)	216 x 375 x 152 (mm)	Sound Bar 108 x 877 x 115 (mm) 4.25 x 34.5 x 4.52 (in)
	1.65 x 7.36 x 4.5 (in)	1.65 x 9 x 5 (in)	1.5 x 5.7 x 3.56 (in)	8.5 x 14.76 x 5.98 (in)	Subwoofer 235 x 231 x 303 (mm) 9.25 x 9 x 11.9 (in)
Power (watts)	40 (8ohm, 20w x 2)	120 (4ohm, 60w x 2)	preamplifier	closed system	closed system
Generation D Energy-Efficient Amplifier	■	■	-	■	■
Domotz Ready	■	■	■	■	■
Apple / Android Control App	■	■	■	■	■
Wi-Fi	■	■	■	■	■
Ethernet Connection	■	■	■	■	■
Analog Line In	■	■	■	■	■
Analog Line Out	■	■	■	-	-
Optical In	-	-	■	-	■
Optical Out	-	-	■	-	-
USB Port	■	■	■	■	■
Bluetooth	-	■	-	-	-
ICEpower® audio technology	-	-	-	-	-
Four Ohm Stable	-	-	-	-	-
DSP	-	-	-	■	-
Trigger In	-	-	-	-	-
Trigger Out	-	-	-	-	-
Power-up Options	-	-	-	-	-

Multi-Zone Players						DIN rail Player
						
P3100	P3500	P4300	P5050	P5100	P5200	P600
44 x 430 x 250 (mm) 1.73 x 16.9 x 9.8 (in)	44 x 430 x 250 (mm) 1.73 x 16.9 x 9.8 (in)	54 x 430 x 258 (mm) 1.73 x 16.9 x 10.1 (in)	44 x 430 x 250 (mm) 1.73 x 16.9 x 9.8 (in)	44 x 430 x 258 (mm) 1.73 x 16.9 x 10.1 (in)	88 x 430 x 258 (mm) 3.46 x 16.9 x 10.1 (in)	53.4 x 90 x 67.2 (mm) 2.102 x 3.543 x 2.646 (in)
3 zones x 40 (8ohm, 20w x 2 per zone)	3 zones x 100 @ 8ohm (8ohm, 50w x 2 per zone)	3 zones x 110 @ 4, 6, or 8ohm	3 zones x 50 (8ohm, 25w x 2 per zone)	3 zones x 100 (8ohm, 50w x 2 per zone)	3 zones x 200 (8ohm, 100w x 2 per zone)	40 (4, 6, or 8ohm, 20w x 2)
■	■	■	■	■	■	■
■	■	■	■	■	■	■
■	■	■	■	■	■	■
-	-	-	-	-	-	-
■	■	■	■	■	■	■
■	■	■	■	■	■	■
■	■	■	■	■	■	-
-	-	■	-	■	■	-
-	-	■	-	■	■	-
■	■	■	■	■	■	■
-	-	-	-	-	-	-
-	■	-	-	-	-	-
-	■	■	-	■	■	■
-	-	■	-	■	■	-
-	-	-	-	-	-	-
■	■	■	■	■	■	-
-	-	-	-	-	-	-

# UNPRECEDENTED PERFORMANCE.

## **Nuvo Speakers**


Be heard and not seen with Nuvo's line of professionally-installed, built-in speakers. Designed with the same level of quality as our high-performing audio systems, Nuvo speakers' impeccable sound quality satisfies even the most discriminating audiophile. Even better, Nuvo speakers are specially designed to fit every space, project, and price point.






# SERIESTWO

BALANCED



Series Two woofers are constructed with high-grade polymer for deep bass.




Series Two tweeters are made from silk for smoother highs.

# SERIESFOUR

ENHANCED




Series Four woofers are constructed with glass fiber for minimal distortion.




Series Four tweeters are made from aluminum for brighter sound.

# SERIESSIX

PREMIUM



Series Six woofers are constructed of Kevlar® and carbon fiber to handle the heaviest loads.



Series Six tweeters are made from titanium for ultimate performance.



# BALANCED

## SERIES TWO SPEAKERS

Designed to deliver balanced, moderate sound

Polypropylene woofers are constructed with high-grade polymer for a rich, deep bass

Pivoting dome tweeters are made from silk for smooth smart highs

Power Handling: 100w peak/ 50w RMS with 8 ohms

### Series Two Specifications

Power Handling	100w peak / 50w RMS
Efficiency	86dB
Resistance	8 ohm
Tweeter Construction	silk
Woofer Construction	poly



Butyl Rubber Surround

Recessed  
Mounting Screws

Pivoting Silk  
Dome Tweeter

Poly Woofer

Neodymium Magnets  
to Hold Grill



NV-2IC6  
Series Two 6.5" In-Ceiling Speaker



NV-2IC6-ANG  
Series Two 6.5" In-Ceiling Angled Speaker



NV-2IC6-DVC  
Series Two 6.5" In-Ceiling Dual Voice Coil Speaker



NV-2IC8  
Series Two 8" In-Ceiling Speaker



NV-2IC8-ANG  
Series Two 8" In-Ceiling Angled Speaker



NV-2IW6  
Series Two 6.5" In-Wall Speaker



NV-2IW5-LCR  
Series Two 5.25" In-Wall LCR Speaker



NV-2OD5-BK & NV-2OD5-WH  
Series Two 5.25" Outdoor Speaker (Available in Black and White)

NV-2OD6-BK & NV-2OD6-WH  
Series Two 6.5" Outdoor Speaker (Available in Black and White)

# ENHANCED


## SERIES FOUR SPEAKERS

Remarkable striking clarity

Woofers are designed with glass fiber for minimal distortion

Pivoting dome tweeters are made from aluminum for a brighter, clearer sound

Power Handling: 150w peak/ 75w RMS with 8 ohms



### Series Four Specifications

Power Handling	150w peak / 75w RMS
Efficiency	88dB
Resistance	8 ohm
Tweeter Construction	aluminum, pivoting
Woofer Construction	glass fiber

Butyl Rubber Surround

Recessed  
Mounting Screws

Aluminum  
Dome Tweeter

Glass Fiber Woofer

Acoustically Minimized  
Tweeter Bridge

Neodymium Magnets  
to Hold Grill



NV-4IC6  
Series Four 6.5" In-Ceiling Speaker



NV-4IC6-ANG  
Series Four 6.5" In-Ceiling Angled Speaker



NV-4IC6-DVC  
Series Four 6.5" In-Ceiling Dual Voice Coil Speaker



NV-4IC8  
Series Four 8" In-Ceiling Speaker



NV-4IC8-ANG  
Series Four 8" In-Ceiling Angled Speaker



NV-4IW6  
Series Four 6.5" In-Wall Speaker



NV-4IW5-LCR  
Series Four 5.25" In-Wall LCR Speaker



# PREMIUM

## SERIES SIX SPEAKERS

The highest power handling and most extreme performance for home theater and vast spaces

Woofers are constructed of Kevlar and carbon fiber, for strength to carry to heaviest loads

Pivoting dome tweeters are made from titanium for ultimate performance, delivering smooth, lifelike vocals and crystal-clear highs

Outfitted with tweeter level adjustment for advanced audio customization

Power Handling: 200w peak/ 100w RMS with 8 ohms



### Series Six Specifications

Power Handling	200w peak / 100w RMS
Efficiency	89dB
Resistance	8 ohm
Tweeter Construction	titanium
Woofer Construction	carbon fiber and Kevlar®



Butyl Rubber Surround

Recessed  
Mounting Screws

Pivoting Titanium  
Dome Tweeter

Carbon Fiber  
and Kevlar® Woofer

Acoustically Minimized  
Tweeter Bridge

Neodymium Magnets  
to Hold Grill



NV-6IC6  
Series Six 6.5" In-Ceiling Speaker



NV-6IC6-ANG  
Series Six 6.5" In-Ceiling Angled Speaker



NV-6IC8  
Series Six 8" In-Ceiling Speaker



NV-6IC8-ANG  
Series Six 8" In-Ceiling Angled Speaker



NV-6IW6  
Series Six 6.5" In-Wall Speaker



NV-6IW6-LCR  
Series Four 6.5" In-Wall LCR Speaker



NV-60D5-BK & NV-60D5-WH  
Series Six 5.25" Outdoor Speaker (Available in Black and White)

NV-60D6-BK & NV-60D6-WH  
Series Six 6.5" Outdoor Speaker (Available in Black and White)

NV-60D5-DVC-BK & NV-60D5-DVC-WH  
Series Six 5.25" Outdoor Dual Voice Coil Speaker  
(Available in Black and White)

NV-60D6-DVC-BK & NV-60D6-DVC-WH  
Series Six 6" Outdoor Dual Voice Coil Speaker  
(Available in Black and White)

# ARCHITECTURAL SUBWOOFERS AND AMPS



## NV-SUBIC8

Discrete ceiling-mounted passive 8" subwoofer ideal for small to medium sized audio installations

Installation-friendly infinite baffle design

Pair up with optional NV-SUBAMP100-xx amplifier

Round magnetic grill included. Optional square magnetic grill (NV-RGIC8-SQR).

Up to two subwoofers may be used with optional NV-SUBAMP100-xx amplifier

Lifetime warranty

Space-saving design

## NV-SUBAMP100

Powerful compact all digital subwoofer amplifier ideal for small to medium sized audio installations

Installation-friendly wall-mountable design

Unfiltered LFE (Low frequency effects), RCA and speaker level inputs

EQ settings for use with any Nuvo passive in-ceiling or in-wall subwoofers

Signal-sensing power ON/OFF

Variable crossover and phase adjustment

Two year warranty

Efficient all-digital 100 watt amplifier

Convenient power connection for optional wireless receiver





## NV-SUBIW8

Discrete wall-mounted passive single 8" subwoofer ideal for medium sized audio installations

Installation-friendly sealed cabinet design

Pair up with optional NV-SUBAMP200-xx amplifier

Square magnetic grill included

Up to two single subwoofers may be used with optional NV-SUBAMP200-xx amplifier

Lifetime warranty

Space-saving design

## NV-SUBAMP200

Powerful all digital subwoofer amplifier ideal for medium sized audio installations

Installation-friendly rack-mountable design

Unfiltered LFE (low frequency effects) and RCA line level inputs

EQ settings for use with any Nuvo passive in-ceiling or in-wall subwoofers

Signal-sensing power ON/OFF

Variable crossover and phase adjustment

Two year warranty

Efficient all-digital 200 watt amplifier



# ARCHITECTURAL SUBWOOFERS AND AMPS

## NV-SUBIWDUAL8

Discrete wall-mounted passive dual 8" subwoofer ideal for medium and larger sized audio installations

Installation-friendly sealed cabinet design

Pair up with optional NV-SUBAMP500-xx amplifier

Rectangular magnetic grill included

Up to two dual subwoofers may be used with optional NV-SUBAMP500-xx amplifier

Lifetime warranty

Space-saving design



## NV-SUBAMP500

Powerful all digital subwoofer amplifier with DSP ideal for larger sized audio installations

Installation-friendly rack-mountable design

Unfiltered LFE (low frequency effects) and RCA line level inputs

EQ settings for use with any Nuvo passive in-ceiling or in-wall subwoofers

IR input for simple use with control systems

Menu selectable variable crossover, power mode and phase adjustment

Two year warranty

Efficient all-digital 500 watt amplifier



# POWERED SUBWOOFERS

## NV-SUB8

Powerful front-mounted 8" subwoofer ideal for small-medium sized audio installations

Installation-friendly front-firing woofer and single port

Compact design requires just over a square foot of space

Durable MDF enclosure construction ensures distortion-free bass response

Unfiltered LFE (low frequency effects) input, RCA stereo input and output, and USB port

Signal-sensing power ON/OFF

Variable crossover and phase adjustment

Woofer has lifetime warranty and amplifier has two year warranty

Efficient all-digital 100 watt amplifier

## NV-SUB10

Powerful front-mounted 10" subwoofer ideal for mid-sized audio installations

Installation-friendly front-firing woofer and dual ports

Efficient all-digital 200 watt amplifier

Durable MDF enclosure construction ensures distortion-free bass response

Unfiltered LFE (low frequency effects) input, RCA stereo input and output, and USB port

Signal-sensing power ON/OFF

Variable crossover and phase adjustment

Woofer has lifetime warranty and amplifier has two year warranty

## NV-SUB12GB

Powerful front-mounted 12" subwoofer ideal for custom audio installations

Efficient all-digital 300 watt amplifier

Durable MDF enclosure construction ensures distortion-free bass response

Unfiltered LFE (low frequency effects) input, RCA stereo input and output, and USB port

Signal-sensing power ON/OFF

Variable crossover and phase adjustment

Woofer has lifetime warranty and amplifier has two year warranty





# IMMERSIVE OUTDOOR AUDIO.

## Landscape Speakers

Deliver dynamic sound quality through any outdoor environment with the durable and scalable Series Two Landscape Speakers. The low-profile, black teardrop satellite speakers have 3.5" poly woofers and .5" UFLC tweeters for clear, robust audio and even coverage. The powerful 8" buried subwoofer blends subtly into the landscape while providing a stand-out bass response. Designed for years of performance, the Landscape Speakers are rated for outdoor use and durability in extreme weather conditions.

### LANDSCAPE SPEAKERS

Complete 5-piece system comes with 4 two-way satellite speakers and an 8" in-ground subwoofer

IP-67 and MIL-STD-810 compliant

8 ohm system pairs perfectly with Player Portfolio products or any 8 ohm amplifier

Highly scalable with option to add-on additional satellite speakers

Lifetime Warranty

#### Landscape Series Two Specifications

Power Handling	280w
Efficiency	86dB
Resistance	8 ohm
Tweeter Construction	UFLC
Woofers Construction	poly



**Outdoor Speakers**

Elevate exterior living spaces with Series Two and Series Six Outdoor Speakers. The sleek enclosure boats a modern form and minimal size that tastefully blend with the lines of any home. They deliver a clean, powerful sound and are rated for outdoor use. Designed for easy installation, the speaker safely rests on the bracket with mounting knobs loosely installed to allow flexibility while wiring the removable phoenix connector. After the terminal has been secured, simply adjust the angle, tighten knobs, install covers, and mounting is complete.

OUTDOOR SPEAKERS

Delivers clear, powerful sound to exterior spaces

IP65 and MIL-STD-810 rated

Designed for safe and easy installation

8 ohm rated

Available in black and white

Lifetime Warranty

Outdoor Series Two Specifications

Power Handling	100w peak / 50w RMS
Efficiency	87dB
Resistance	8 ohm
Tweeter Construction	UFLC
Woofer Construction	poly

Outdoor Series Six Specifications

Power Handling	120w peak / 60w RMS
Efficiency	88dB
Resistance	8 ohm
Tweeter Construction	titanium
Woofer Construction	carbon fiber and Kevlar®



# ARCHITECTURAL SPEAKERS

## SERIES TWO

**Impedance**  
8 Ohms

**Sensitivity**  
86dB

**Power**  
50w RMS / 100w Peak

**Woofer Material**  
Poly

**Tweeter Material**  
Silk



NV-21C6



NV-21C6-ANG



NV-21C6-DVC



NV-21C8



NV-21C8-ANG

Overall Dimensions	9.06" / 230mm	9.06" / 230mm	9.06" / 230mm	10.63" / 270mm	11.22" / 285mm
Cutout Dimensions	8.07" / 205mm	8.07" / 205mm	8.07" / 205mm	9.68" / 246mm	10.15" / 258mm
Woofer Size	6.5"	6.5"	6.5"	8"	8"
Tweeter Size	0.5"	0.5"	0.5"	0.5"	0.5"
Mounting Depth	3.9" / 99mm	4.57" / 116mm	3.9" / 99mm	4.37" / 111mm	5.31" / 135mm
Frequency Response	60Hz - 20KHz	60Hz - 20KHz	55Hz - 20KHz	45Hz - 20KHz	45Hz - 20KHz
Shipping	Pair	Single	Single	Pair	Single

## SERIES FOUR

**Impedance**  
8 Ohms

**Sensitivity**  
88dB

**Power**  
75w RMS / 150w Peak

**Woofer Material**  
Glass Fiber

**Tweeter Material**  
Aluminum



NV-41C6



NV-41C6-ANG



NV-41C6-DVC



NV-41C8



NV-41C8-ANG

Overall Dimensions	9.06" / 230mm	9.06" / 230mm	9.06" / 230mm	10.63" / 270mm	11.22" / 285mm
Cutout Dimensions	8.07" / 205mm	8.07" / 205mm	8.07" / 205mm	9.68" / 246mm	10.15" / 258mm
Woofer Size	6.5"	6.5"	6.5"	8"	8"
Tweeter Size	0.75"	0.75"	0.75"	0.75"	0.75"
Mounting Depth	3.94" / 100mm	4.76" / 121mm	3.94" / 100mm	4.41" / 112mm	5.55" / 141mm
Frequency Response	55Hz - 20KHz	55Hz - 20KHz	50Hz - 20KHz	40Hz - 20KHz	40Hz - 20KHz
Shipping	Pair	Single	Single	Pair	Single

## SERIES SIX

**Impedance**  
8 Ohms

**Sensitivity**  
89dB

**Power**  
100w RMS / 200w Peak

**Woofer Material**  
Kevlar® / Carbon  
Fiber Weave

**Tweeter Material**  
Titanium



NV-61C6



NV-61C6-ANG



NV-61C8



NV-61C8-ANG

Overall Dimensions	9.06" / 230mm	9.06" / 230mm	10.63" / 270mm	11.22" / 285mm
Cutout Dimensions	8.07" / 205mm	8.07" / 205mm	9.68" / 246mm	10.15" / 258mm
Woofer Size	6.5"	6.5"	8"	8"
Tweeter Size	1"	1"	1"	1"
Mounting Depth	3.94" / 100mm	4.76" / 121mm	4.41" / 112mm	5.55" / 141mm
Frequency Response	60Hz - 20KHz	60Hz - 20KHz	35Hz - 20KHz	35Hz - 20KHz
Shipping	Pair	Single	Pair	Single



NV-2IW6

8.66" x 11.81" / 220mm x 300mm

7.6" x 10.79" / 194mm x 274mm

6.5"

0.5"

3.27" / 83mm

60Hz - 20KHz

Pair



NV-2IW5-LCR

7.48" x 15.35" / 190mm x 390mm

6.41" x 14.3" / 163mm x 363mm

5.25"

0.5"

3.35" / 85mm

65Hz - 20KHz

Single



NV-4IW6

8.66" x 11.81" / 220mm x 300mm

7.6" x 10.79" / 194mm x 274mm

6.5"

0.75"

3.27" / 83mm

55Hz - 20KHz

Pair



NV-4IW5-LCR

7.48" x 15.35" / 190mm x 390mm

6.41" x 14.3" / 163mm x 363mm

5.25"

0.5"

3.35" / 85mm

60Hz - 20KHz

Single



NV-6IW6

8.66" x 11.81" / 220mm x 300mm

7.6" x 10.79" / 194mm x 274mm

6.5"

1"

3.27" / 83mm

50Hz - 20KHz

Pair



NV-6IW6-LCR

8.66" x 17.71" / 220mm x 450mm

7.6" x 16.65" / 193mm x 423mm

6.5"

1"

3.5" / 90mm

45Hz - 20KHz

Single

# OUTDOOR SPEAKERS

## SERIES TWO

### Impedance

8 Ohms

### Sensitivity

87dB

### Power

50w RMS / 100w Peak

### Woofer Material

Poly

### Tweeter Material

UFLC



NV-20D5-XX



NV-20D6-XX

COLOR KEY:

WH

BK

Replace XX with the appropriate color code for part number.

## SERIES SIX

### Impedance

8 Ohms

### Sensitivity

88dB

### Power

60w RMS / 120w Peak

### Woofer Material

Kevlar® / Carbon

Fiber Weave

### Tweeter Material

Titanium



NV-60D5-XX



NV-60D6-XX



NV-60D5=DVC-XX



NV-60D6=DVC-XX

COLOR KEY:

WH

BK

Replace XX with the appropriate color code for part number.

## SERIES TWO LANDSCAPE

### Impedance

8 Ohms

### Sensitivity

86dB

### Power

280w

### Woofer Material

Poly

### Tweeter Material

UFLC



NV-2LSK-BK  
Subwoofer + 4 Satellites

NV-2LS3-SAT2  
Two Satellites



# SUBWOOFERS

## NV-SUB8

**Impedance**  
8 Ohms

**Frequency**  
30Hz - 200Hz

**Power**  
100w

**Woofer Material**  
Poly



## NV-SUB10

**Impedance**  
8 Ohms

**Frequency**  
27Hz - 200Hz

**Power**  
200w

**Woofer Material**  
Poly



## NV-SUB12GB

**Impedance**  
8 Ohms

**Frequency**  
23Hz - 200Hz

**Power**  
300w

**Woofer Material**  
Kevlar® / Carbon  
Fiber Weave



## NV-SUBTXRX

Easily add a Nuvo powered subwoofer to almost any system wirelessly

Receiver is conveniently powered via USB when used with Nuvo powered subwoofers

Automatic frequency-hopping if interference is detected

Connect up to four wireless subwoofers to one transmitter with the addition of NV-SUBRX-xx receivers

Wireless connection allows freedom of placement choice for the best sound

Two year warranty

Latency of less than 20 milliseconds







## NV-SUBIC8

### In-Ceiling Passive 8" Subwoofer

Overall Subwoofer Dimensions	10.7" / 272.4mm
Cutout Dimensions	9.62" / 245mm
Speaker Size	8" High Output
Mounting Depth	4.3" / 108mm
Frequency Response	35Hz - 200Hz



## NV-SUBIW8

### In-Wall Single Passive 8" Subwoofer

Overall Subwoofer Dimensions	13.7 x 13.7" / 347.6 x 347.6mm
Cutout Dimensions	12 x 12" / 310 x 310mm
Speaker Size	8" High Output
Mounting Depth	4.2" / 106.8mm
Frequency Response	35Hz - 200Hz



## NV-SUBIWDUAL8

### In-Wall Dual Passive 8" Subwoofer

Overall Subwoofer Dimensions	13.7 x 21.6" / 347.6 x 547.6mm
Cutout Dimensions	12 x 19.75" / 310 x 510mm
Speaker Size	dual 8" High Output
Mounting Depth	4.2" / 106.8mm
Frequency Response	29Hz - 200Hz



## NV-SUBAMP100

### 100 Watt Digital Wall-Mount Subwoofer Amplifier

Unit Size	8.0 x 7.4 x 2.0" / 207.3 x 188.8 x 50.5mm
Mounting	Standalone or Wall Mount
Line Input	RCA Analog (L/R)
Output Power	100w @ 4 Ohm / 50w @ 8 Ohm
Frequency	20Hz - 200Hz



## NV-SUBAMP200

### 200 Watt Rack-Mount Subwoofer Amplifier

Unit Size	19 x 8.9 x 1.7" / 482.6 x 226.8 x 43.2mm
Mounting	Standalone or 1U Rack Mount
Line Input	RCA Analog (L/R)
Output Power	100w @ 4 Ohm / 50w @ 8 Ohm
Frequency	20Hz - 200Hz



## NV-SUBAMP500

### 200 Watt Rack-Mount Subwoofer Amplifier with DSP

Unit Size	19 x 8.9 x 1.7" / 482.6 x 226.8 x 43.2mm
Mounting	Standalone or 1U Rack Mount
Line Input	RCA Analog (L/R)
Output Power	100w @ 4 Ohm / 50w @ 8 Ohm
Frequency	20Hz - 200Hz

# Nuvo®



3015 Kustom Drive  
Hebron, KY 41048  
United States  
844.334.8044  
[www.legrand.us/nuvo](http://www.legrand.us/nuvo)