

## Wiremold 10AT Prewired Evolution™ Series Poke Thru Device, Surface Style Cover Part No. 10ATCPBZ



For use with 10" (254mm) diameter hole. Cover and stem are pre-assembled together. All devices are recessed 4 1/2" (114mm) below the finished floor level. Unit ships complete with an all aluminum cover (assembled) designed to sit on top of finished floor surface (carpet, tile, wood, concrete or terrazzo). Covers are available in the following powder coated finishes: black (BK), gray (GY), nickel (NK), brass (BS) and aluminum (AL).

## Features & Benefits

For use with 10" (254mm) diameter hole

All devices are recessed 4 1/2" (114mm) below the finished floor level

Unit ships complete with an all aluminum cover (assembled) designed to sit on top of finished Powder coated black finish floor surface (carpet, tile, wood, concrete or terrazzo)

## **Specifications**

| General Info                          |   |  |  |  |
|---------------------------------------|---|--|--|--|
| Wiremold                              | Color   | Bronze   |  |  |
| 786564087120                          | Country Of Origin   | United States  |  |  |
| Assembled                             | Features  | Recessed   |  |  |
| Surface                               | Application Sector  | Commercial, Education,<br>Healthcare, Hospitality  |  |  |
| UL Fire Classified, cULus, NEC        | Warranty Type   | 1-Year from Installation or 2-<br>Years from Day of Sale   |  |  |
| Poke-Thru                             |   |  |  |  |
|                                       |   |  |  |  |
| 22.0 lb                               | Cubic Capacity  | 19 in³   |  |  |
| 10 in                                 |   |  |  |  |
| Listing Agencies / 3rd Party Agencies |   |  |  |  |
| E2961                                 | cULus Listed  | Yes  |  |  |
|                                       | 786564087120  Assembled  Surface  UL Fire Classified, cULus, NEC  Poke-Thru  22.0 lb  10 in  I Party Agencies | 786564087120 Country Of Origin  Assembled Features  Surface Application Sector  UL Fire Classified, cULus, NEC Warranty Type  Poke-Thru  22.0 lb Cubic Capacity  10 in |  |  |

| Trade Programs         |  |                               |      |  |
|------------------------|--|-------------------------------|------|--|
| USMCA                  | Yes                                    |                               |      |  |
| Additional Information |  |                               |      |  |
| RoHS Compliant         | Yes                                    | Product Environmental Profile | Yes  |  |
| Technical Information  |  |                               |      |  |
| Floor Type             | Carpet, Concrete, Terrazzo, Tile, Wood | Is Pre-Wired                  | Yes  |  |
| Service Capacity       | Dual                                   | Fire Rating                   | 2 hr |  |
| Number of Outlets      | 4                                      |                               |      |  |