

Wiremold 2300 Divided Raceway Base and Cover Part No. 2300BACD-WH



Low-profile, two-piece raceway with durable, textured PVC ivory or white finishes. Available in 5' (1.52m) lengths. Supplied with wide adhesive tape along its entire length.

## Features & Benefits

Low-profile, two-piece raceway with durable, textured PVC ivory or white finishes. Available in 5' (1.52m) lengths. Supplied with wide adhesive tape along its entire length.

## Specifications

## General Info

| Product Line                          | Wiremold   | UPC Number         | 786776524598               |  |  |  |  |  |
|---------------------------------------|--|--------------------|----------------------------|--|--|--|--|--|
| Country Of Origin                     | United States  | Application Sector | Commercial,<br>Residential |  |  |  |  |  |
| Standard                              | cULus Listed Raceway: File E90378 Guide RJTX.<br>Complies with flammability rewuirements of UL-<br>5A. Fittings: File E90377 Guide RJYT. Meets Article<br>388 of NEC. UL Listed for up to 600V. Meets<br>Section 12-2600 of CEC. | Туре               | Raceway                    |  |  |  |  |  |
| Dimensions                            |  |                    |                            |  |  |  |  |  |
| Product Weight US                     | 0.29 lb  | Product Height US  | 0.687 in                   |  |  |  |  |  |
| Product Length US                     | 2.25 in  |                    |                            |  |  |  |  |  |
| Listing Agencies / 3rd Party Agencies |  |                    |                            |  |  |  |  |  |
| cULus ListingNumber                   | E90378   | cULus Listed       | Yes                        |  |  |  |  |  |
| Additional Information                |  |                    |                            |  |  |  |  |  |

| RoHS Compliant        | Yes     |  |  |  |  |  |
|-----------------------|---------|--|--|--|--|--|
| Technical Information |         |  |  |  |  |  |
| Voltage               | 600.0 V |  |  |  |  |  |