



For mounting up to three power or communication devices at one location inline and offset with 5400 Series Raceway. For use with 5507 Series Faceplates, Ortronics TracJack and Series II Modules, Pass and Seymour Activate Series Inserts, Wiremold Open System Communication Modules. NOTE: CM-EPLA End Plates are required when using Wiremold communication modules. S2-EPL End Plates are required when using Orthonics Series II Inserts. To mount TracJack inserts, use 5507-4TJ or 5507-6TJ Faceplates.

## Features & Benefits

For mounting up to three power or communication devices at one location inline and offset with 5400 Series Raceway.

For use with 5507 Series Faceplates, Ortronics TracJack and Series II Modules, Pass and Seymour Activate Series Inserts, Wiremold Open System Communication Modules.

NOTE: CM-EPLA End Plates are required when using Wiremold communication modules. S2-EPL End Plates are required when using Orthonics Series II Inserts. To mount TracJack inserts, use 5507-4TJ or 5507-6TJ Faceplates.

## Specifications

### General Info

Product Line	Wiremold	Color	Ivory
UPC Number	786776059090	Country Of Origin	United States
Material	Plastic	Product Series	5400 Series
Installation Location	On Wall	Application Sector	Commercial
Standard	cULus Listed Raceway: File E90378 Guide RJTX. Complies with flammability requirements of UL-5A. Fittings: File E90377 Guide RJYT. Meets Article 388 of NEC. UL Listed for up to 600V. Meets Section 12-1600 of CEC.	Warranty Type	1-Year from Installation or 2-Years from Day of Sale
Type	Bracket, Fitting		

---

## Dimensions

---

Product Width US	7.5 in	Product Weight US	1.2 lb
Product Height US	3.5 in	Product Length US	8.1 in

---

## Listing Agencies / 3rd Party Agencies

---

cULus ListingNumber	E90377	cULus Listed	Yes
---------------------	--------	--------------	-----

---

## Trade Programs

---

USMCA	Yes
-------	-----

---

## Additional Information

---

RoHS Compliant	Yes	Product Environmental Profile	Yes
----------------	-----	-------------------------------	-----

---

## Technical Information

---

Is Pre-Wired	No	Indoor/Outdoor	Indoor
Voltage	600.0 V		

---