

Pass and Seymour Discontinued - Commercial Occupancy Sensor, White Part No. CSD1000LV



Dual Technology Occupancy Sensor, 120/277/347 VAC, 50-60hz, White

Features & Benefits

Advanced control logic based on RISC microcontroller Walk-through mode turns lights off three minutes after the provides: Detection signature processing eliminates false area is initially occupied -- ideal for brief visits such as mail triggers and provides immunity to RFI and EMI. delivery. LEDs indicate occupancy detection. Four occupancy logic Simple, one-step setup. Ultrasonic diffusion technology options give users the ability to customize control to meet spreads coverage to a wider area (patented). application needs. Ultrasonic frequency of 40 kHz. Time delays: automatic, fixed (5, 10, 15, 20, or 30 minutes), walk- Multi-level, 360 degrees Fresnel lens for superior occupancy detection. Mounting options: ceiling tile: 4 square junction through, test-mode. Sensitivity adjustment: reduce sensitivity box with double gang mudring. cULus listed. 5-year (for PIR sensitivity): ultrasonic sensitivity is variable with warranty. trimpot.

For covering patents, see www.legrand.us/patents.

Specifications

Product Line	Pass & Seymour	Replaced by Part Number	DT-355
Color	White	UPC Number	785007026306
Country Of Origin	China		
Listing Agencies / 3r	d Party Agencies		
cULus Listed	Yes		

Sensor Type