



The LMSW-605 Scene Switch is a wireless device that can set and recall preset lighting scenes and raise and lower lighting levels. It is part of the NEW wireless Digital Lighting Management (DLM) system and controls loads connected to DLM room controllers by recalling any four of the 16 scenes available in a DLM local network. It can function as a part of a completely wireless room pairing with a wireless room controller (LMRC-611MCC) or used in a hybrid wired & wireless room to control loads connected to a traditional wired room controllers when used in conjunction with a wireless bridge (LMBC-650).

Features & Benefits

Wireless Digital 5-Button Scene Switch

The LMSW-605 Scene Switch is a wireless device that can set and recall preset lighting scenes and raise and lower lighting levels. It is part of the NEW wireless Digital Lighting Management (DLM) system and controls loads connected to DLM room controllers by recalling any four of the 16 scenes available in a DLM local network. It can function as a part of a completely wireless room pairing with a wireless room controller (LMRC-611MCC) or used in a hybrid wired & wireless room to control loads connected to a traditional wired room controllers when used in conjunction with a wireless bridge (LMBC-650).

Built-in IPv6 Mesh and Bluetooth antennas provide robust signal strength and reliable communication

Uses IPv6 Mesh to establish network communication with all DLM wireless devices

Paddle with LED status indicator allows raise/lower control of scenes or loads

Quick and easy wireless installation – no Cat 5e connection needed

Ground wire allows you to install next to a line voltage device. This wire is only needed when placed next to a line voltage device in the same box. Grounding cables are otherwise not needed if in a purely low voltage application.

Low voltage switches for control of four customizable scenes

Specifications

General Info

Product Line	Wattstopper	Color	Light Almond
UPC Number	754182947331	Country Of Origin	China
Features	Pre-Engraved, Wireless	Number of Switches	5
Application Sector	Commercial	Standard	UL
Type	Combination		

Technical Information

Number of Buttons	5	Amperage	1.5 A
Indoor/Outdoor	Indoor	Wattage	4.5 W
Voltage	3.0 V		
