




Wiremold  
RC7 Multi-Service Assembled Poke-Thru Device Retrofit Kit  
Part No. RC7KTCBK



Used to upgrade existing installations of RC7 Poke-Thru Devices on carpet floors to meet scrub water requirements. Includes 20A duplex receptacle that can be wired as a standard duplex or isolated ground, and two Category 6 TechChoice discrete keystone connectors. Also includes scrub water finish flange and slide holder assembly. Flange available in painted black (BK), gray (GY), and brushed metal finishes in aluminum (AL), and brass (BS). Kit also includes duplex receptacle barrier. Old barrier must be replaced with new. See installation instructions with retrofit kit for complete installation details.

## Features & Benefits

Used to upgrade existing installations of RC7 Poke-Thru Devices on carpet floors to meet scrub water requirements.

Includes 20A duplex receptacle that can be wired as a standard duplex or isolated ground, and two Category 6 TechChoice discrete keystone connectors.

Also includes scrub water finish flange and slide holder assembly. Flange available in painted black (BK), gray (GY), and brushed metal finishes in aluminum (AL), and brass (BS). Kit also includes duplex receptacle barrier.

Old barrier must be replaced with new. See installation instructions with retrofit kit for complete installation details.

## Specifications

### General Info

Product Line	Wiremold	Color	Black
UPC Number	786564067573	Country Of Origin	Mexico
Construction	Unassembled	Application Sector	Commercial, Education, Healthcare, Hospitality
Standard	cULus Listed, NEC	Warranty Type	1-Year from Installation or 2-Years from Day of Sale
Type	Cover, Receptacle		

### Dimensions

Product Weight US	1.44 lb
-------------------	---------

Listing Agencies / 3rd Party Agencies

cULus ListingNumber	E2961	cULus Listed	Yes
---------------------	-------	--------------	-----

Additional Information

RoHS Compliant	Yes
----------------	-----

Technical Information

Floor Type	Carpet, Tile	Amperage	20 A
------------	--------------	----------	------

Number of Outlets	2
-------------------	---