



Wiremold
4AT Prewired Dual Service Style Evolution™ Poke-Thru Device-Gray
Part No. 4ATCP2RGY



Designed for retrofit and new construction, Evolution Series 4" Poke-Thru devices provide convenient access to power, communications, and audio/video services recessed below floor level - providing maximum device protection. Two gangs of capacity allow you to configure services for the needs of your space. Evolution Series 4" Poke-Thru devices are the perfect fit for kiosks, training rooms, classrooms, healthcare facilities or commercial buildings with open-space architecture.

Features & Benefits

All Evolution Series Poke-Thru Devices, like every Wiremold Poke-Thru Device, meet and exceed UL scrub water exclusion requirements for tile, carpet, and wood covered floors.

Specifications

General Info

Product Line	Wiremold	UPC Number	786564090663
Country Of Origin	United States	Construction	Assembled
Number of Knockouts	10	Application Sector	Commercial

Standard	cULus Listed Metallic Outlet Boxes: File E2961 Guide QCIT. cULus Listed Nonmetallic Outlet Boxes and Fittings Classified for Fire Resistance: File R8209 Guide CEYY. Meets Article 300.21 300.22[C] and 314 of NEC.	Type	Poke-Thru
----------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------	-----------

Dimensions

Product Width US	5.5 in	Product Height US	18.562 in
Cubic Capacity	24.5 cu in		

Listing Agencies / 3rd Party Agencies

cULus ListingNumber	E2961	cULus Listed	Yes
---------------------	-------	--------------	-----

Buy American Act Compliance

NAFTA	Yes
-------	-----

Additional Information

RoHS Conformant	Yes	Product Environmental Profile	Yes
-----------------	-----	-------------------------------	-----

Technical Information

Cable Entry	1 1/2 in trade size conduit for data,.75 in,3/4 in trade size conduit for power	Number of Outlets	2
-------------	---------------------------------------------------------------------------------	-------------------	---
